Figure 1: Top 10 BLASTP hits for INSP179 polypeptide sequence (SEQ ID NO:10) against NCBI-nr

BLASTP 2.2.2 [Jan-08-2002]

Reference: Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schaffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402.

Query= INSP179.pp (880 letters)

Database: All non-redundant GenBank CDS translations+PDB+SwissProt+PIR+PRF 1,594,288 sequences; 522,190,286 total letters

Searching......done

ref XP_291099.2 similar to hypothetical protein MGC38937 [Homo 1747 0.0 ref NP_705796.1 hypothetical protein MGC38937 [Mus musculus] >g 684 0.0 ref XP_223356.1 similar to hypothetical protein MGC38937 [Rattu 650 0.0 ref XP_221358.2 similar to Carboxypeptidase N 83 kDa chain (Car 82 5e-14 ref NP_570843.1 leucine rich repeat containing 15; leucine-rich 77 2e-12 gb AAH25836.1 1300018K11Rik protein [Mus musculus] 75 7e-12 ref XP_148373.1 RIKEN cDNA 1300018K11 [Mus musculus] >gi 380806 75 7e-12 ref NP_659551.1 leucine-rich repeat protein induced by beta-amy 74 1e-11 dbj BAD01045.1 toll-like receptor 3 [Paralichthys olivaceus] 73 3e-11 dbj BAB85498.1 18 wheeler [Bombyx mori] 72 5e-11	Sequences producing significant alignments:	Score (bits)	E Value
	ref NP_705796.1 hypothetical protein MGC38937 [Mus musculus] >g ref XP_223356.1 similar to hypothetical protein MGC38937 [Rattu ref XP_221358.2 similar to Carboxypeptidase N 83 kDa chain (Car ref NP_570843.1 leucine rich repeat containing 15; leucine-rich gb AAH25836.1 1300018K11Rik protein [Mus musculus] ref XP_148373.1 RIKEN cDNA 1300018K11 [Mus musculus] >gi 380806 ref NP_659551.1 leucine-rich repeat protein induced by beta-amy	. 684 . 650 . 82 . 77 . 75 . 75 . 74	0.0 0.0 5e-14 2e-12 7e-12 7e-12 1e-11 3e-11

Figure 2: Pairwise alignment of INSP179 to top annotated BLASTP hit (mouse ortholog)


Score = 684 bits (1765), Expect = 0.0 Identities = 422/888 (47%), Positives = 529/888 (59%), Gaps = 41/888 (4%) MKNLYFRVITIVIGLYFTGIMTNASRKSNILFNSECQWNEYILTNCSFTGKCDIPVDISQ 60 Query: 1 M++ Y RV +V GL F +T SRKS++ FN E Q N +L N S MRDFYVRVTILVTGLCFVETVTTPSRKSSVSFNPEYQRNGDLLVNWSSIRH-----VSQ 54 Sbict: 1 Query: 61 TAATVDVSFNFFRVLLQSHTKKEEWKIKHLDLSNNLISKITLSPFAYLHALEVLNLSNNA 120 +D SF FFRVL Q HT+KE IK D +++ ISK+TL P A+LHALE+LNLSN A Sbjct: 55 NTDAMDRSFYFFRVLFQPHTQKER-HIKPPDRTHHRISKVTLDPLAHLHALEILNLSNKA 113 Query: 121 IHSLSLDLLSPKSSWVKRHRSSFRNRFPLLKVLILQRNKLSDTPKGLWKLKSLQSLDLSF 180 IH SLD P SS KRH +R P L+VLILQRN+LS TPKGLWKLKSL+SLDLSF Sbjct: 114 IHYFSLDQPLPPSSHQKRHGGHSHSRLPRLQVLILQRNQLSGTPKGLWKLKSLRSLDLSF 173 Query: 181 NGILQIGWSDFHNCLQLENLCLKSNKIFKIPPQAFKDLKKLQVIDLSNNALITILPMMII 240 N I+ IG SDFH CLQLE++ LKSNKI I P+AFK LKKLQV+DL +NAL T++P++ I Sbjct: 174 NRIVHIGLSDFHGCLQLESIYLKSNKICTIHPKAFKGLKKLQVVDLRSNALTTLVPIVTI 233 Query: 241 ALEFPHLVVDLADNNWQCDDSVAVFQNFISESWRKKWNVICNRSIGSEEANGGTPQSRIS 300 ALE PHL + LADN WQC +S FQN S SWR+ W ICN S+ ++ N T Q R S Sbjct: 234 ALELPHLELGLADNQWQCSESNVNFQNITSSSWREIWKAICNMSVENKRPNAETHQIRKS 293 Query: 301 RETRL---PPIHLHRMKSLIRSKAERPQGGRHTGISTLGKKAKAGSG-LRKKQRRLPRSV 356 R+T L PP L KSLI+SKAERPQ G +S LGK+AK G G LR Sbjct: 294 RDTHLLLSPPSDL---KSLIQSKAERPQAGMDMHLSALGKEAKDGYGDLRGMWPQSPVEL 350 Query: 357 RSTRDVQAAGKKEDAPQDLALAVCLSVFITFLVAFSLGAFTRPYVDRLWQKKCQSKSPGL 416 R ++D Q +K+D P L LA+CLSVFITF+VAF LGAF RPY+DRL Q++C +K PG Sbjct: 351 RDSQDEQVTDRKDDKPPALELAICLSVFITFVVAFCLGAFARPYIDRLRQQRCSNKRPGS 410 Query: 417 DNAYSNEGFYDDMEAAGHTPHPETHLRQVFPHLSLYENQTPFWVTQPHPHATVIPDRTLG 476 DNAYSN+GF+ D+E A H + T L Q HL L ENQ P WV +P PH+ V ++ LG Sbjct: 411 DNAYSNKGFHGDIEGAQHMEYQGTDLHQTTHHLHLSENQNPSWVAEPIPHSAVQSEQMLG 470 Query: 477 RSRKDPGSSQSPGQCGDNTGAGSGND-----GAVYSILQRHPHAGNRELMSAAQDHIHR 530 + DPG QSP Q D+ + SG+ + L P+A + +S Q H Sbjct: 471 SNGTDPGHQQSPEQLKDSNESRSGDSIVLPSGPVAHLALHGLPNADAHKAISPVQ---HH 527 Query: 531 NDILGEWTYETVAQEEPLSAHSVGVSSVAGTSHAVSGSSRYDSNELDPSLSGEITASLCK 590 +D L E Y+TVAQE L + SS+ G S ++L PS ++ AS K Sbjct: 528 HDFLEEAHYDTVAQEYSLIDDVMDRSSITGPLGTFPSSVESRRDDLHPSQPRDVVASFSK 587 Query: 591 MLTHAEAQRTGDSKERGGTEQ-SLWDSQMEFSKERQVSSSIDLLSIQQPRLSGARAEEAL 649 L HA + S E G E DSQM S+ERQVS+SI L+ QQP G AEE L Sbjct: 588 TLAHANTREAEGSMETGCPEPLGAMDSQMGSSEERQVSNSIRELATQQPSFQGVDAEERL 647 Query: 650 SAHYSEVPYGDPRDTGPSVFPPRWDSGLDVTPANKEPVQKSTPSDTCCELES--DCDSDE 707 S YSEV + DP PS+ PRW SG V PA EPV++ P D +L + + DSDE Sbjct: 648 SHVYSEVLHNDP----PSL-RPRWGSGHYVIPATGEPVERDAPFDPHYDLVTNYESDSDE 702 Query: 708 GSLFTLSSISSESARSKTEEAVPDE----ESLQDESSGASKDNVTAVDSLEENVTFQTI 762 GSLFTLSS SE RS EE E + L + G KD+VT+ +S+E+ +T Q I Sbjct: 703 GSLFTLSSEGSEDTRSLAEEQASVENDGTSQPLPSRNLGEYKDSVTSAESVED-LTSQRI 761 Query: 763 PGKCKNQEDPFEKPLISAPDSGMYKTHLENASDTDRSEGLSPWPRSPGNSPLGDEFPGMF 822 P KC+ QE LIS PDS + +T+ EN S + E S WP+ PG+ Sbjct: 762 PEKCEAQEAHLRNTLISGPDSCVCETNQENDSSSLDPENRSTWPQLPGHKLSHHETLGTY 821

Query: 823 TYDYDTALQSKAAEWHCSLRDLEFSNVDVLQQTPPCSAEVPSDPDKAA 870 D QS+A +WH SLRDLE NVD +PP S E S P+ A

Sbjct: 822 G---DIEPQSEAVDWHYSLRDLESPNVD-SSPSPPYSDEDLSGPEDRA 865

Figure 3: Domain Professor results for INSP179

Query: INSP179.pp



E-values and regions on this page use repsilon and are approximate - hit "Aln" for Blastpgp evalues and alignments

11	SCOP von Willebrand	82%	c.10.2.7 (A:) von Willebrand factor binding domain of glycoprotein Ib alpha {Human (Homo sapiens)}	d1gwba_	35-271	4-221	-/-	<u>2</u> /1.4e-25
2	CATH Ribonuclease Inhibitor	82%	3.80.10.10 Alpha Beta: Horseshoe; Ribonuclease Inhibitor:	R 1 0 1 1	35-271	4-221	-/-	<u>2</u> / 1:4e-25
3	IPL Whole_length	8%	Ferrodoxin-like / Adenylyl and guanylyl cyclase catalytic domain Ascomycotal and Fungal ACs, most of the full length alignment. Have added hCP46367.1 and hCP46942.1 to the alignment for this profile.	1	40-255	1060- 1254	<u>1</u> / 1.4e-15	-/-
4	CDD COG4886	33%	Leucine-rich repeat (LRR) protein [Function unknown]	COG4886	90-238	98-228	1/5.3e-14	./.
5	SPAN DOMAIN	31%	DOMAIN EXTRACELLULAR (POTENTIAL) sp LGR5_HUMAN O75473 1- 561	<u>075473</u>	45-231	51-222	<u>1</u> /3.0e-11	-/-
6	SPAN DOMAIN	81%	DOMAIN ASP/SER-RICH sp SR40_YEAST P32583 25-314	<u>P32583</u>	549-797	15-248	<u>1</u> /9.0e-05	-/-

Figure 4: Signal peptide prediction (SignalP V2.0) for INSP179 polypeptide sequence (SEQ ID NO: 10).

>INSP179.pp SignalP-NN prediction (euk networks): INSP179.pp C score 1.0 S score Y score 0.8 0.6 0.4 0.2 0.0 MKNLYFRVIT IV IGLYFTG IMTNASRKSNILFNSECQMNEY ILTNCSFTGKCD IPVD ISQTAATVDVSFN 0 10 20 30 40 50 60 70 Position >INSP179.pp length = 70Position Value Cutoff signal peptide? # Measure 0.179 0.33 max. C 25 max. Y 25 0.318 0.32 NO 0.933 0.82 YES max. S 9 0.697 0.47 YES 1 - 24mean S # Most likely cleavage site between pos. 24 and 25: TNA-SR SignalP-HMM prediction (euk models): INSP179.pp Cleavage prob. 1.0 n-region prob. h-region prob. c-region prob. 0.8 0.6 0.4

0.2 0.0 MKNLYFRVIT IV IGLYFTG IMTNASRKSN I LFNSECQWNEY I LTNCSFTGKCD I PVD I SQTAATVDVSFN 0 10 20 50 60 70 Position >INSP179.pp

Prediction: Signal anchor

Signal peptide probability: 0.065 Signal anchor probability: 0.778

Max cleavage site probability: 0.031 between pos. 24 and 25

Figure 5: INSP179 DNA and polypeptide sequence

•						
1 61	ttccgaaatc attgtgaata	ttaaattgaa agtcaattca	aattaaattt ttttcctttt	gctgcttatt tccaggcatt	atgaaaaacc	tttatatatt tctatttcag l y f
					INSP	179-CP1
121	agtcattacc	atagttatag i v i	gtctttattt g l y	tactggaata f t g i	atgacaaatg m t n	
181	aagcaatatt k s n i	ttattcaatt 1 f n	ctgaatgcca s e c	atggaatgaa q w n e	tatattctga y i l	caaattgttc t n c
241	ttttaccgga s f t g	aagtgtgata k c d	tacctgtgga i p v	catatcacag d i s q	acagcagcca t a a	ctgtggatgt t v d
301	aagtttcaat v s f n	ttctttagag f f r	ttctcttaca v l l	gtctcacacg q s h t	aaaaaagaag k k e	agtggaaaat e w k
361	aaaacatctg i k h l	gacctcagta d l s	acaatctcat n n l	atcaaaaata i s k i	accttaagcc t l s	cttttgcata p f a
421	tttacatgct y l h a		taaacctcag l n l			tctcattgga l s l
481			catgggtgaa s w v			
541	tccattgctg f p l l	aaggtgctca k v l	ttcttcaaag i l q	aaataaactc r n k l	agtgacactc s d t	ccaagggact p k g
601	gtggaaactg l w k l	aagtcattgc k s l	agagtttgga q s l	tctgtcattc d l s f	aatgggatat n g i	tgcaaatagg l q i
661	gtggtctgat g w s d	tttcacaact f h n	gcctgcaact c l q	ggagaatctc l e n l	tgtttaaaga c l k	gcaacaagat s n k
721			ccttcaagga a f k			
781	caacaatgct s n n a	-	tcctaccaat i l p		gctctagaat a l e	
841	agtggttgac l v v d	ttggctgata l a d	ataactggca n n w	gtgtgatgat q c d d	agtgtggcag s v a	tctttcaaaa v f q
901		gaatcctgga e s w			tgcaacaggt c n r	ctatagggag s i g
961	tgaggaggcc s e e a	aacgggggca n g g	ctccccagag t p q	caggatttcc s r i s	agggaaaccc r e t	gccttcctcc r l p
1021			aaagcctcat k s l			
1081			ctctggggaa t l g			gtctcaggaa g l r

1141	gaagcagaga k k q r	-	ggagtgttag r s v	aagcacccgc gatgtgcagg r s t r d v q	ctgccggcaa a a g
				INSP179-CP2	
1201	aaaagaggac	gctccccagg	acctggctct	ggeggtgtge etgteagtgt	tcatcacatt
	k k e d	a p q	d l a	lavels v	f i t
1261	ccttgtcgcc f l v a	_		aaggccttat gttgacagac t r p y v d r	tgtggcaaaa l w q
1321	aaagtgccag	agcaaaagcc	ctggcctgga	caacgcgtat tcaaacgagg	gcttctacga
	k k c q	s k s	p g l	d n a y s n e	g f y
1381	tgacatggaa	gctgcggggc	acacaccaca	cccagagacc catctgcgcc	aagtatttcc
	d d m e	a a g	h t p	h p e t h l r	q v f
1441	tcatctaagc p h l s	ctctacgaga l y e	accagacccc n q t	tttctgggtg acacagccac p f w v t q p	acccacacgc h p h
1501	caccgtaatt	cctgatagaa	ctctgggaag	gagcagaaag gatcctggca	gttcgcagag
	a t v i	p d r	t 1 g	r s r k d p g	s s q
1561	cccaggacag	tgcggggaca	acaccggggc	aggaagtgga aatgatggtg	cagtctattc
	s p g q	c g d	n t g	a g s g n d g	a v y
1621	cattctccag s i l q			ccgtgaacta atgtcagcag n r e l m s a	cgcaggacca a q d
1681	catccatagg	aatgatattc	tcggagaatg	gacttatgaa actgtggccc	aggaagagcc
	h i h r	n d i	l g e	w t y e t v a	q e e
1741	tctcagtgca	cattcagtgg	gcgtctcttc	tgtagctggc acgtctcacg	ctgtctctgg
	p 1 s a	h s v	g v s	s v a g t s h	a v s
1801	ctcaagccgt g s s r		atgaattaga n e l	cccttccctc tccggagaaa d p s l s g e	taacagcttc i t a
1861	cctctgtaaa s l c k		atgcagaagc h a e	acagaggact ggagatagta a q r t g d s	aggaaagagg k e r
1921	gggcactgaa g g t e	cagtcacttt q s l	gggactcgca w d s	gatggaattt tctaaggaaa q m e f s k e	ggcaagtgag r q v
1981	ttcatccatt	gatttgctga	gcatacagca	gccaaggctg tccggggcaa	gggctgagga
	s s s i	d l l	s i q	q p r l s g a	r a e
2041	agcgctttca	gcccactaca	gcgaggttcc	atacggtgac ccaagagaca	. caggcccatc
	e a l s	a h y	s e v	p y g d p r d	t g p
2101	agtctttcct	ccaagatggg	acagtggcct	ggatgtcact cctgctaaca	aggaaccagt
	s v f p	prw	d s g	l d v t p a n	k e p
2161	gcagaaatco	actccttctg	acacttgctg	tgagttggag agtgactgtg	actctgatga
	v q k s	t p s	d t c	c e l e s d c	d s d
2221	ggggtctctg	ttcactctga	gctccataag	ttcagagagt gcaaggagca	agactgaaga
	e g s l	f t l	s s i	s s e s a r s	k t e
2281	ggcagtgcct	gatgaggagt	ccctgcagga	cgagagetea ggggeaagea	aggacaatgt
	e a v r	dee	s l q	d e s s g a s	k d n

2341	gacggctgta	gacagtcttg	aggaaaatgt	taccttccaa	acaattccag	ggaaatgcaa
	vtav	d s l	e e n	v t i q	t 1 p	д к с
2401	gaatcaagaa	gatccctttg	aaaaacctct	catttctgct	ccagactctg	gcatgtacaa
	k n q e	d p f	e k p	lisa	p d s	g m y
2461	gactcatctg	gaaaatgcct	ctgacactga	tagatctgag	ggcctgtcac	cctggcccag
	k t h 1	e n a	s d t	ars e	g I s	p w p
2521	gtcaccaggg	aatagtccct	taggggatga	gtttccgggc	atgttcactt	atgattatga
	r s p g	n s p	1 g d	егрд	m I t	у а у
2581	cacagetett	caatccaagg	cagcagaatg	gcattgctca	cttagagact	tagaattttc
		qs k				
2641	aaatgtggac	gttttacagc	aaacaccacc	atgttctgct	gaagttccct	cagatectga
		v l q				
2701	taaggetgee	ttccatgaaa f h e	gagactcaga	cattttaaaa	taagaatctt	tcattaagga
2761 2821	aatattcaca	gctctaaaca atcctgaagg	atattctttt	aaagatcatg	gcaggggaaa	actaaagcct tgatgcaaat
2881		tgggcccact				- 9 9

Position and sense of PCR primers

Figure 6: INSP179-EC DNA and polypeptide sequence

1	atgaaaaacc	tctatttcag	agtcattacc	atagttatag	gtctttattt	tactggaata
			r v i t	i V i	д Т Х	ftgi
		INSP179-CP1	·			
61	_				ctgaatgcca	
	m t n	a s r	k s n i	l f n	s e c	q w n e
121					tacctgtgga	
	y i l	t n c	s f t g	k c d	i p v	disq
181	acadcadcca	ctatagatat	aagtttcaat	ttctttagag	ttctcttaca	gtctcacacg
	t a a	t v d	v s f n	ffr	v l l	q s h t
0.41		201000000		an aat an at n	acaatctcat	n+annn+n
241		e w k		d l s		i s k i
301	accttaagcc	cttttgcata	tttacatgct	ttggaagtgt	taaacctcag l n l	caacaatgcc s n n a
	T I S	рга	утпа	ı e v	т II т	S II II a
361					catgggtgaa	
	i h s	l s l	d l l s	p k s	s w v	k r h r
421	agcagcttca	gaaacaggtt	tccattgctg	aaggtgctca	ttcttcaaag	aaataaactc
	s s f				i l q	r n k l
481	actoronato	aassaasat	ataassata	aaatcattac	agagtttgga	tctatcattc
401	s d t	p k q	l w k l	k s l	q s l	d l s f
541	aatgggatat n g i	tgcaaatagg	gtggtctgat	f h n	gcctgcaact c 1 q	ggagaatete
	11 g <u>r</u>	T 9 T	g w s a	1, 11	0 4 9	± 0 11 =
601	-	-			ccttcaagga	
	c l k	s n k	i f k i	b b d	a f k	d 1 k k
661					tcctaccaat	
	lqv	i d l	s n n a	l i t	i 1 p	m m i i
721	actctagaat	ttccccatct	agtggttgac	ttggctgata	ataactggca	atataataat
, ,,,,,					n n w	
5 01		1 - 1 1 1			~~~~~~~	~~~t~t~~t+
781					ggaaaaagtg r k k	
		_				
841						caggatttcc
	c n r	s i g	s e e a	n g g	t p q	sris
901	agggaaaccc				aaagcctcat	aaggagcaaa
	r e t	r l p	p i h l	h r m	k s l	i r s k
961	acadadada	cccadaaaaa	aaggcacacg	ggcatttcta	ctctggggaa	gaaggcaaag
	a e r	b d d			t 1 g	

1021 gccgctctg gtctcaggaa gaagcagaga cggctgccaa ggagtgttag aagcacccgc a g s g l r k k q r r l p r s v r s t r

1081 gatgtgcag d v q

Position and sense of PCR primers ----

Figure 7: INSP179-EC-SV1 DNA and polypeptide sequence

1		tctatttcag l y f	agtcattacc r v i t	atagttatag i v i	gtctttattt g l y	tactggaata f t g i
		INSP179-CP1				
61	atgacaaatg m t n	catcaagaaa a s r	aagcaatatt k s n i			atggaatgaa q w n e
121	tatattctga y i l	caaattgttc t n c	ttttaccgga s f t g	aagtgtgata k c d	tacctgtgga i p v	catatcacag d i s q
181		ctgtggatgt t v d	aagtttcaat v s f n		ttctcttaca v 1 l	gtctcacacg q s h t
241	aaaaaagaag k k e	agtggaaaat e w k	aaaacatctg i k h l		acaatctcat n n l	atcaaaaata i s k i
301	accttaagcc t 1 s	cttttgcata p f a	tttacatgct y l h a	ttggaagtgt l e v	taaacctcag l n l	caacaatgcc s n n a
361	atccactccc i h s	tctcattgga l s l	tctactcagt d l l s	cctaagtcct p k s	catgggtgaa s w v	acgccacaga k r h r
421	agcagcttca s s f		tccattgctg f p l l	aaggtgctca k v l	ttcttcaaag i l q	aaataaactc r n k l
481	agtgacactc s d t	ccaaggggag p k g	tgaggaggcc s e e a			caggatttcc s r i s
541	agggaaaccc r e t		cattcatctg p i h l		aaagcctcat k s l	aaggagcaaa i r s k
601		cccagggagg p q g	aaggcacacg g r h t	ggcatttcta g i s		gaaggcaaag k k a k
661			gaagcagaga k k q r		ggagtgttag r s v	aagcacccgc r s t r
721	gatgtgcag d v q				IN	SP179-CP2

Figure 8: Alignment of INSP179-EC and INSP179-EC-SV1 nucleotide sequences


179EC-SV1 INSP179EC	ATGAAAAACCTCTATTTCAGAGTCATTACCATAGTTATAGGTCTTTATTTTACTGGAATA ATGAAAAACCTCTATTTCAGAGTCATTACCATAGTTATAGGTCTTTATTTTACTGGAATA
179EC-SV1 INSP179EC	ATGACAAATGCATCAAGAAAAAGCAATATTTTATTCAATTCTGAATGCCAATGGAATGAA ATGACAAATGCATCAAGAAAAAGCAATATTTTATTCAATTCTGAATGCCAATGGAATGAA
179EC-SV1 INSP179EC	TATATTCTGACAAATTGTTCTTTTACCGGAAAGTGTGATATACCTGTGGACATATCACAG TATATTCTGACAAATTGTTCTTTTACCGGAAAGTGTGATATACCTGTGGACATATCACAG
179EC-SV1 INSP179EC	ACAGCAGCCACTGTGGATGTAAGTTTCAATTTCTTTAGAGTTCTCTTACAGTCTCACACG ACAGCAGCCACTGTGGATGTAAGTTTCAATTTCTTTAGAGTTCTCTTACAGTCTCACACG
179EC-SV1 INSP179EC	AAAAAAGAAGAGTGGAAAATAAAACATCTGGACCTCAGTAACAATCTCATATCAAAAATA AAAAAAGAAGAGTGGAAAATAAAACATCTGGACCTCAGTAACAATCTCATATCAAAAATA
179EC-SV1 INSP179EC	ACCTTAAGCCCTTTTGCATATTTACATGCTTTGGAAGTGTTAAACCTCAGCAACAATGCC ACCTTAAGCCCTTTTGCATATTTACATGCTTTGGAAGTGTTAAACCTCAGCAACAATGCC
179EC-SV1 INSP179EC	ATCCACTCCCTCTCATTGGATCTACTCAGTCCTAAGTCCTCATGGGTGAAACGCCACAGA ATCCACTCCCTCTCATTGGATCTACTCAGTCCTAAGTCCTCATGGGTGAAACGCCACAGA
179EC-SV1 INSP179EC	AGCAGCTTCAGAAACAGGTTTCCATTGCTGAAGGTGCTCATTCTTCAAAGAAATAAACTC AGCAGCTTCAGAAACAGGTTTCCATTGCTGAAGGTGCTCATTCTTCAAAGAAATAAACTC
179EC-SV1 INSP179EC	AGTGACACTCCCAAGGGAGTGACACTCCCCAAGGGACTGTGGAAACTGAAGTCATTGCAGAGTTTGGATCTGTCATTC
179EC-SV1 INSP179EC	AATGGGATATTGCAAATAGGGTGGTCTGATTTTCACAACTGCCTGC
179EC-SV1 INSP179EC	TGTTTAAAGAGCAACAAGATATTCAAAATTCCCCCACAAGCCTTCAAGGACCTCAAAAAA
179EC-SV1 INSP179EC	TTACAGGTCATAGACCTTAGCAACAATGCTCTGATTACCATCCTACCAATGATGATCATA
	TTACAGGTCATAGACCTTAGCAACAATGCTCTGATTACCATCCTACCAATGATGATCATA GCTCTAGAATTTCCCCATCTAGTGGTTGACTTGGCTGATAATAACTGGCAGTGTGATGAT
INSP179EC 179EC-SV1	
INSP179EC 179EC-SV1 INSP179EC 179EC-SV1	GCTCTAGAATTTCCCCATCTAGTGGTTGACTTGGCTGATAATAACTGGCAGTGTGATGAT
INSP179EC 179EC-SV1 INSP179EC 179EC-SV1 INSP179EC	GCTCTAGAATTTCCCCATCTAGTGGTTGACTTGGCTGATAATAACTGGCAGTGTGATGAT AGTGTGGCAGTCTTTCAAAATTTTATTTCTGAATCCTGGAGGAAAAAGTGGAATGTCATT GAGTGAGGAGGCCAACGGGGGCACTCCCCAGAGCAGGATTTCC
INSP179EC 179EC-SV1 INSP179EC 179EC-SV1 INSP179EC 179EC-SV1 INSP179EC	GCTCTAGAATTTCCCCATCTAGTGGTTGACTTGGCTGATAATAACTGGCAGTGTGATGAT AGTGTGGCAGTCTTTCAAAATTTTATTTCTGAATCCTGGAGGAAAAAGTGGAATGTCATT
INSP179EC 179EC-SV1 INSP179EC 179EC-SV1 INSP179EC 179EC-SV1 INSP179EC 179EC-SV1 INSP179EC	GCTCTAGAATTTCCCCATCTAGTGGTTGACTTGGCTGATAATAACTGGCAGTGTGATGAT AGTGTGGCAGTCTTTCAAAATTTTATTTCTGAATCCTGGAGGAAAAAGTGGAATGTCATT

Figure 9: Alignment of predicted INSP179 and the cloned INSP179-EC and INSP179-EC-SV1 polypeptide sequences

INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	MKNLYFRVITIVIGLYFTGIMTNASRKSNILFNSECQWNEYILTNCSFTG MKNLYFRVITIVIGLYFTGIMTNASRKSNILFNSECQWNEYILTNCSFTG MKNLYFRVITIVIGLYFTGIMTNASRKSNILFNSECQWNEYILTNCSFTG ************************************
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	KCDIPVDISQTAATVDVSFNFFRVLLQSHTKKEEWKIKHLDLSNNLISKI KCDIPVDISQTAATVDVSFNFFRVLLQSHTKKEEWKIKHLDLSNNLISKI KCDIPVDISQTAATVDVSFNFFRVLLQSHTKKEEWKIKHLDLSNNLISKI ***********************************
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	TLSPFAYLHALEVLNLSNNAIHSLSLDLLSPKSSWVKRHRSSFRNRFPLL TLSPFAYLHALEVLNLSNNAIHSLSLDLLSPKSSWVKRHRSSFRNRFPLL TLSPFAYLHALEVLNLSNNAIHSLSLDLLSPKSSWVKRHRSSFRNRFPLL ***********************************
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	KVLILQRNKLSDTPKGLWKLKSLQSLDLSFNGILQIGWSDFHNCLQLENL KVLILQRNKLSDTPKGLWKLKSLQSLDLSFNGILQIGWSDFHNCLQLENL KVLILQRNKLSDTPK
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	CLKSNKIFKIPPQAFKDLKKLQVIDLSNNALITILPMMIIALEFPHLVVD CLKSNKIFKIPPQAFKDLKKLQVIDLSNNALITILPMMIIALEFPHLVVD
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	LADNNWQCDDSVAVFQNFISESWRKKWNVICNRSIGSEEANGGTPQSRIS LADNNWQCDDSVAVFQNFISESWRKKWNVICNRSIGSEEANGGTPQSRISGSEEANGGTPQSRIS ***********************************
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	RETRLPPIHLHRMKSLIRSKAERPQGGRHTGISTLGKKAKAGSGLRKKQR RETRLPPIHLHRMKSLIRSKAERPQGGRHTGISTLGKKAKAGSGLRKKQR RETRLPPIHLHRMKSLIRSKAERPQGGRHTGISTLGKKAKAGSGLRKKQR **********************************
INSP179-EC_PREDICTION INSP179-EC_CLONED INSP179-EC-SV1_CLONED	RLPRSVRSTRDVQ RLPRSVRSTRDVQ RLPRSVRSTRDVQ ********

Figure 10: Predicted INSP179 glycosylation sites

NetNGlyc 1.0: predicted N-glycosylation sites in Sequence



(THE CONOCICE OF

SeqName	Position	Potential	Score	
Sequence	23 NASR	0.5420	(6/9)	
Sequence	45 NCSF	0.6932	(9/9)	
Sequence	115 NLSN	0.6702	(9/9)	
Sequence	282 NRSI	0.4953	(4/9)	
Sequence	454 NQTP	0.1590	(9/9)	
Sequence	746 NVTA	0.7102	(9/9)	
Sequence	756 NVTF	0.6390	(9/9)	
Sequence	792 NASD	0.6288	(6/9)	

1.98	-0.00975	7	agent	cell type	time 0 h
i_		661£TWS9			0 P
Macua		ezwr3500			1.25 h
97C4CT		CSM13201	603	E.	0.5 h
ğ l		COZETUSS	CD3 and CD28	PHA blasts	2 h
		CONTOS	B20	g	6 h
		POZETUS9			12 h
		CSWT3SO2	41	7.1	12 h 18 h 1 h
		CSWT350P	2.89A		22
		ZÓZETWSS	Wb8 and CD28	Juny	4
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	eswt3508	28 and	Sat T	8 4
		OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFI OFFI OFFI OFFI OFFI OFFI OFFI OFF	and PMA		19 19
		ezurastt	PMA	्री क्षा क्षा क्षा क्षा क्षा क्षा क्षा क्षा	6
		ezut3sts		7,	.
		CSWT3ST3		1	2 7
		PTZSTU	LPS	THP-1	4 E
		CSMT3STP	ွှ		6 h.1
		esut3ste			12 h 24 h
		ZTZETWS9			4 h 6
		62KT3ST6	™		h 24 h
***************************************		OZZETWS9.	#		р Р
		CSWT3227	HTRA	HL60	24 b
		ezwrasss			
		EZZETWSO	Asio8		48)h
		PSZETWS9			9
		CSWT3SS2	PMA	K562	24 h 48
		PZZETWSO		<u> </u>	
		CZWT3SS4 CZWT3SSA			<u> </u>
		CSWT3SS6	,		2
		OSZSTUSS			8 -
		CSM13231	∥ Æ		h 16 t
		CSM13232			h 24 h 48
		CSMT3S33		芝	£8 h
				188 189	#8 h 72

meddal-chamnelluser-provided log ratio Epercentile ranked and binned value of a spot compared to all other spots within that sample